

MTC AM PRODUCTS & SYSTEMS

PRICE LIST


Content

MTC AM Systems	3
AM Power Supply	5
TCP-IP Module	5
MTC AM Deactivators	5
Detachers	6
Pager Systems	6
AM Tags & Labels	7
AM Cables	8
AM Accessories	8
Sales/Delivery terms	9

NEW!


OPTIMUM AM

All Systems are excluding Cabling and Power Supply

Product	Description	Reference	Packed per
	MTC Optimum AM - Mono System / TRX - AM - 58 KHz - Black	XS-A2MOP58TRXB	Antenna
	Flat Cable 10 Ways - 10m Incl. Attached Connectors - Black - PS to TX antenna	XA-AMFC10PSTXB10	pcs
	Flat Cable 10 Ways - 4m Incl. Attached Connectors - Ivory - TX to RX connection	XA-AMFC10TXRXI4	pcs
	MTC Optimum AM - Dual System - AM - 58 KHz - Black	XS-A2MOP58BC	Antenna
	Flat Cable 10 Ways - 10m Incl. Attached Connectors - Black - PS to TX antenna	XA-AMFC10PSTXB10	pcs
	Flat Cable 10 Ways - 4m Incl. Attached Connectors - Ivory - TX to RX connection	XA-AMFC10TXRXI4	pcs
	MTC Optimum AM - RX Antenna - AM - 58 KHz - Black	XS-A2MOP58RAB	Antenna
	Flat Cable 10 Ways - 4m Incl. Attached Connectors - Ivory - TX to RX connection	XA-AMFC10TXRXI4	pcs
	Options	Reference	
Optimum AM Dual System - Metal Detection	XS-A2MOP58CME		
Optimum AM Dual System - People Counting	XS-A2MOP58CP		
Optimum AM Dual System - Metal Detection & People Counting	XS-A2MOP58CMEP		
TCP-IP Module - no box only board & cables	XA-TCP-IP-BC		
Advertising	Reference		
Advertising Booklet for MTC Optimum AM Systems	XA-OPAMBO		


Wide ExitAM

All Systems are excluding Cabling and Power Supply

Product	Description	Reference	Packed per
	MTC SG AM Wide Exit - Mono System / TRX - AM - 58 KHz - Black	XS-A2MW58TRXB	Antenna
	Flat Cable 10 Ways - 10m Incl. Attached Connectors - Black - PS to TX antenna	XA-AMFC10PSTXB10	pcs
	Flat Cable 10 Ways - 4m Incl. Attached Connectors - Ivory - TX to RX connection	XA-AMFC10TXRXI4	pcs
	MTC SG AM Wide Exit - Dual System - AM - 58 KHz - Black	XS-A2MW58BC	Antenna
	Flat Cable 10 Ways - 10m Incl. Attached Connectors - Black - PS to TX antenna	XA-AMFC10PSTXB10	pcs
	Flat Cable 10 Ways - 4m Incl. Attached Connectors - Ivory - TX to RX connection	XA-AMFC10TXRXI4	pcs
	MTC SG AM Wide Exit - RX Antenna - AM - 58 KHz - Black	XS-A2MW58RAB	Antenna
	Flat Cable 10 Ways - 4m Incl. Attached Connectors - Ivory - TX to RX connection	XA-AMFC10TXRXI4	pcs
	Options	Reference	
Wide Exit AM Dual System - Metal Detection	XS-A2MW58CME		
Wide Exit AM Dual System - People Counting	XS-A2MW58CP		
Wide Exit AM Dual System - Metal Detection & People Counting	XS-A2MW58CMEP		
TCP-IP Module - no box only board & cables	XA-TCP-IP-BC		
Advertising	Reference		
Advertising Booklet for MTC Wide Exit AM Systems	XA-XLBO		


AM XL


All Systems are excluding Cabling and Power Supply

Product	Description	Reference	Packed per
	MTC SG AM XL - Mono System - excl. PSU - AM - 58 KHz - incl. Booklet & Bumper	XS-A2MXL58TRX	Antenna
	Flat Cable 10 Ways - 10m Incl. Attached Connectors - Black - PS to TX antenna	XA-AMFC10PSTXB10	pcs
	Flat Cable 10 Ways - 4m Incl. Attached Connectors - Ivory - TX to RX connection	XA-AMFC10TXRXI4	pcs
	MTC SG AM XL - Dual System - excl. PSU - AM - 58 KHz - incl. Booklet & Bumper	XS-A2MXL58C	Antenna
	Flat Cable 10 Ways - 10m Incl. Attached Connectors - Black - PS to TX antenna	XA-AMFC10PSTXB10	pcs
	Flat Cable 10 Ways - 4m Incl. Attached Connectors - Ivory - TX to RX connection	XA-AMFC10TXRXI4	pcs
	MTC SG AM XL - RX Antenna - AM - 58 KHz - incl. Booklet & Bumper	XS-A2MXL58RA	Antenna
	Flat Cable 10 Ways - 4m Incl. Attached Connectors - Ivory - TX to RX connection	XA-AMFC10TXRXI4	pcs
	Options	Reference	
AM XL Dual System - Metal Detection	XS-A2MXL58CME		
AM XL Dual System - People Counting	XS-A2MXL58CP		
AM XL Dual System - Metal Detection & People Counting	XS-A2MXL58CMEP		
TCP-IP Module - no box only board & cables	XA-TCP-IP-BC		

X-Clear AM


All Systems are excluding Cabling and Power Supply

Product	Description	Reference	Packed per
	MTC X Clear - Transceiver/Mono Antenna - AM - 58 KHz - Black	XS-A2MXC58TRXB	Antenna
	Flat Cable 10 Ways - 10m Incl. Attached Connectors - Black - PS to TX antenna	XA-AMFC10PSTXB10	pcs
	Flat Cable 10 Ways - 4m Incl. Attached Connectors - Ivory - TX to RX connection	XA-AMFC10TXRXI4	pcs
	MTC X Clear - Dual System - AM - 58 KHz - Black	XS-A2MXC58BC	Antenna
	Flat Cable 10 Ways - 10m Incl. Attached Connectors - Black - PS to TX antenna	XA-AMFC10PSTXB10	pcs
	Flat Cable 10 Ways - 4m Incl. Attached Connectors - Ivory - TX to RX connection	XA-AMFC10TXRXI4	pcs
	MTC X Clear - RX Antenna - With Lamp - AM - 58 KHz - Black	XS-A2MXC58RAB	Antenna
	Flat Cable 10 Ways - 4m Incl. Attached Connectors - Ivory - TX to RX connection	XA-AMFC10TXRXI4	pcs
	Options	Reference	
X Clear Dual System - Black - Metal Detection	XS-A2MXC58CBME		
TCP-IP Module - no box only board & cables	XA-TCP-IP-BC		

Product	Description	Reference	Packed per
	MTC X Clear - Transceiver/Mono Antenna - AM - 58 KHz	XS-A2MXC58TRX	Antenna
	Flat Cable 10 Ways - 10m Incl. Attached Connectors - Black - PS to TX antenna	XA-AMFC10PSTXB10	pcs
	Flat Cable 10 Ways - 4m Incl. Attached Connectors - Ivory - TX to RX connection	XA-AMFC10TXRXI4	pcs
	MTC X Clear - Dual System - AM - 58 KHz	XS-A2MXC58C	Antenna
	Flat Cable 10 Ways - 10m Incl. Attached Connectors - Black - PS to TX antenna	XA-AMFC10PSTXB10	pcs
	Flat Cable 10 Ways - 4m Incl. Attached Connectors - Ivory - TX to RX connection	XA-AMFC10TXRXI4	pcs
	MTC X Clear - RX Antenna - With Lamp - AM - 58 KHz	XS-A2MXC58RA	Antenna
	Flat Cable 10 Ways - 4m Incl. Attached Connectors - Ivory - TX to RX connection	XA-AMFC10TXRXI4	pcs
	Options	Reference	
X Clear Dual System - Metal Detection	XS-A2MXC58CME		
TCP-IP Module - no box only board & cables	XA-TCP-IP-BC		


PROMAX AM

All Systems are excluding Cabling and Power Supply

Product	Description	Reference	Packed per
	MTC Promax AM - Mono Antenna - With Lamp - AM - 58 KHz	XS-A2MPROM58TRX	Antenna
	Flat Cable 10 Ways - 10m Incl. Attached Connectors - Black - PS to TX antenna	XA-AMFC10PSTXB10	pcs
	Flat Cable 10 Ways - 4m Incl. Attached Connectors - Ivory - TX to RX connection	XA-AMFC10TXRXI4	pcs
	MTC Promax AM - Complete System (RX-TX) - AM - 58 KHz	XS-A2MPROM58C	Antenna
	Flat Cable 10 Ways - 10m Incl. Attached Connectors - Black - PS to TX antenna	XA-AMFC10PSTXB10	pcs
	Flat Cable 10 Ways - 4m Incl. Attached Connectors - Ivory - TX to RX connection	XA-AMFC10TXRXI4	pcs
MTC Promax - RX Antenna - With Lamp - AM - 58 KHz	XS-A2MPROM58RA	Antenna	
Flat Cable 10 Ways - 4m Incl. Attached Connectors - Ivory - TX to RX connection	XA-AMFC10TXRXI4	pcs	
Options		Reference	
Promax AM Dual System - Metal Detection		XS-A2MPROM58CME	
Promax AM Dual System - People Counting		XS-A2MPROM58CP	
Promax AM Dual System - Metal Detection & People Counting		XS-A2MPROM58CMEP	
TCP-IP Module - no box only board & cables		XA-TCP-IP-BC	




AM Loop system

All Systems are excluding Cabling and Power Supply

Product	Description	Reference	Packed per
	MTC Loop System - AM - 58 KHz	XS-LS58D	Antenna
Options		Reference	
TCP-IP Module - with box & cables - AM - 58 KHz		XA-TCP-IP	


AM powersupplies

For AM Systems only



Product	Description	Reference	Packed per
	Power Supply - 2 inputs - AM (2) Mono / TX-RX / TX-RX-TX / RX-TX-RX-TX	XA-PPSUAM2	pcs
	Power Supply - 4 inputs - AM To power 4 TX Antennas	XA-PPSUAM4	pcs
	Power supply - Metal Detection - 220V - 2 inputs To be used in combination with integrated metal detection	XA-PPSUMET	pcs

AM TCP-IP modules




For AM Systems only

Product	Description	Reference	Packed per
	TCP-IP Module - with box & cables - AM - 58 KHz	XA-TCP-IP	pcs
	TCP-IP Module - no box only board & cables	XA-TCP-IP-BC	pcs



AM Deactivators

Product	Description	Reference	Packed per
	MTC Deactivator - AM - Grey MTC Deactivator Holder - Vertical - Black MTC Deactivator Holder - Horizontal - Black	XD-DEACTAM-V1 XD-DEACTHOLV XD-DEACTHOLH	pcs
	Contact Deactivator - 310*106*6 mm - AM - 58 KHz	XD-AMTCCD	pcs





AM Powerdetachers

Product	Description	Reference	Packed per
	Hand Held Detacher AM	XA-DSMK2251	pcs
	Power Detacher Desktop	XA-DSTC2001	pcs
	Power Detacher Flush Mount	XA-DSFC2001	pcs

Pager systems










Product	Description	Reference	Packed per
	Pager system (V4) w/display RS485 (433/EU)	200-1004131	pcs
	Quick Pager Receiver With Display (433/EU)	200-1003531	pcs

AM spare parts and cable sets

Product	Description	Reference	Packed per
	AM TX Board	XE-ADMTCTX58	pcs
	AM RX Board	XE-ADMTCRX58	pcs
	Flat Cable 10 Ways 10m with Connectors - Black - PS to TX Antenna - Incl. Attached connectors	XA-AMFC10PSTXB10	pcs
	Flat Cable 10 Ways 14m with Connectors - Black - PS to TX Antenna - Incl. Attached connectors	XA-AMFC10B14CK	pcs
	Flat Cable 10 Ways 4m with Connectors - Ivory - TX to RX Connection - Incl. Attached connectors	XA-AMFC10TXRXI4	pcs
	Flat Cable 10 Ways 33m with Connectors - Ivory - TX to RX Connection - Incl. Attached connectors	XA-AMFC10TXRXI33	pcs

* different Cables Lengths on request and will be charged with a € 20,- Handling Fee.

AM accessories

Product	Description	Reference	Packed per
	AM Software Installation & tuning - Incl. Cable	XA-AMCONNECTC	pcs
	Flat Cable 10 Ways - Black - Power Supply to TX Antenna Polarized - Price per meter	XA-AMFC10PTX	pcs
	RJ48 Connector 10 Ways - Polarized For XA-AMFC10PTX	XA-AMRJ48C10WP	pcs
	Flat Cable 10 Ways - Ivory - Antenna to Antenna Connection Non Polarized - Price per meter	XA-AMFC10ATA	pcs
	RJ48 Connector 10 Ways - Not Polarized For XA-AMFC10ATA	XA-AMRJ48C10WNP	pcs
	Flat Cable 8 Ways - Black - TX to TCP/IP Non Polarized - Price per meter	XA-AMFC8TCPC	pcs
	RJ45 Connector 8 Ways - Not Polarized For XA-AMFC8TCPC	XA-AMRJ45C8WNP	pcs
	Crimping tool Polarized	XA-AMCTPOL	pcs
	Crimpingtool Not polarized	XA-AMCTNPOL	pcs

Sales and Delivery Terms

Last update **26/02/20** *Pager system update*

Payment Terms: Pre-payment unless otherwise agreed.

Freight: Shipping Ex-Works Meppen, Germany.

Lead-times: Stock can be shipped within 1 week after order. Non-stock items will be ordered per sea freight (around 8-10 weeks lead-time). Additional airfreight cost will apply if products need to be shipped to our warehouse on request (around 3 weeks lead-time). Production time may vary.

Prices: Prices can be subject to change without prior notice
All prices in EUR €excl. VAT